





\* Dimensions to be in accordance with NZBC Clause E2



| Spanlite / Giant Dome Vent |                         |                       |                        |
|----------------------------|-------------------------|-----------------------|------------------------|
| Model No.                  | Daylight Dimension (mm) | Fixing Dimension (mm) | Overall Dimension (mm) |
| <b>SPv500</b>              | 500 x 500               | 610 x 610             | 670 x 670              |
| <b>SPv800</b>              | 800 x 800               | 910 x 910             | 970 x 970              |
| <b>SPv1000</b>             | 1000 x 1000             | 1110 x 1110           | 1170 x 1170            |
| <b>SPv1200</b>             | 1200 x 1200             | 1310 x 1310           | 1370 x 1370            |
| <b>SPv1810</b>             | 1800 x 1000             | 1910 x 1110           | 1970 x 1170            |
| <b>GDv1616</b>             | 1525 x 1525             | 1635 x 1635           | 1695 x 1695            |
| <b>GDv2014</b>             | 1885 x 1285             | 1995 x 1395           | 2055 x 1455            |
| <b>GDv2020</b>             | 1835 x 1835             | 1945 x 1945           | 2005 x 2005            |
| <b>GDv2418</b>             | 2270 x 1670             | 2380 x 1780           | 2440 x 1840            |
| <b>GDv2520</b>             | 2370 x 1835             | 2480 x 1945           | 2540 x 2005            |
| <b>GDv2118</b>             | 2670 x 1670             | 2780 x 1780           | 2840 x 1840            |



Not to scale, do not scale from drawing. All details are generic in nature and should be read in conjunction with the roofing manufacturers' standard penetration details.



ADLUX Industries Ltd. ©  
 36 Olive Road, Penrose  
 P.O. Box 13866, Auckland  
 New Zealand.  
 Ph: (09) 636 6866  
 Fax: (09) 636 6846  
 Email: sales@adlux.co.nz

**SPANLITE / GIANT DOME vent**  
**CONCRETE ROOFING TILE (Lead Flashing)**  
**PITCH 15° TO 60°**

DATE: 13/02/19

DWG No: SPv/GDv-CT-LD